

## ENVIROAIR 7.5 FICHE

According to Annex IV of COMMISSION DELEGATED REGULATION (EU) NO 811/2013 of 18 February 2013 supplementing Directive 2010/30/EU of the European parliament and of the council with regard to the energy labelling of space heaters, combination heaters, packages of space heater, temperature control and solar devices and packages of combination heater, temperature control and solar device.

Outdoor Unit Reference: **ENVIROAIR 7.5**

In Average Climatic Conditions	Seasonal Energy Efficiency class ns	A++	A++
	Normal Heating power (Kw)	7	6
	Seasonal Energy Efficiency ns (%)	164	125
	Annual energy consumption Qhe (kWh/year)	3298	3724

Manufacturer: Hitachi on behalf of **FIREBIRD PRODUCTS LTD**

Indoor Sound Power Level (dBa)

### Special Precautions to take during assembly, installation, maintenance

This appliance must be installed, maintained and dismantled by professionals. Do not vent contained refrigerant into the atmosphere since this fluid is a fluorinated greenhouse gas regulated under European Regulation (EU) No 517/2014

	35°C	55°C	35°C	55°C
Nominal Heating power (Kw)	8	6	8	6
Seasonal Energy Efficiency ns (%)	148	116	219	164
Annual energy consumption Qhe (kWh/year)	4922	4987	1925	1919

Outdoor Sound Power Level (dBa)

64

The sound power level is measured in heating mode, according to standard EN12102/2013. The nominal heating capacity is equal to Pdesign requirement at Tdesign, supplemented by Psup, if needed. Data is calculated according to EN14825 Standard & EN 14511 and the commission communication 2014/C207/02

## ENVIROAIR 11.0 FICHE

According to Annex IV of COMMISSION DELEGATED REGULATION (EU) NO 811/2013 of 18 February 2013 supplementing Directive 2010/30/EU of the European parliament and of the council with regard to the energy labelling of space heaters, combination heaters, packages of space heater, temperature control and solar devices and packages of combination heater, temperature control and solar device.

Outdoor Unit Reference: **ENVIROAIR 11.0**

In Average Climatic Conditions	Seasonal Energy Efficiency class ns	A+++	A++
	Normal Heating power (Kw)	11	10
	Seasonal Energy Efficiency ns (%)	187	136
	Annual energy consumption Qhe (kWh/year)	4714	8515

Manufacturer: Hitachi on behalf of **FIREBIRD PRODUCTS LTD**

Indoor Sound Power Level (dBa)

### Special Precautions to take during assembly, installation, maintenance

This appliance must be installed, maintained and dismantled by professionals. Do not vent contained refrigerant into the atmosphere since this fluid is a fluorinated greenhouse gas regulated under European Regulation (EU) No 517/2014

	35°C	55°C	35°C	55°C
Nominal Heating power (Kw)	12	11	11	10
Seasonal Energy Efficiency ns (%)	160	120	240	193
Annual energy consumption Qhe (kWh/year)	7230	8640	2423	2748

Outdoor Sound Power Level (dBa)

64

The sound power level is measured in heating mode, according to standard EN12102/2013. The nominal heating capacity is equal to Pdesign requirement at Tdesign, supplemented by Psup, if needed. Data is calculated according to EN14825 Standard & EN 14511 and the commission communication 2014/C207/02

## ENVIROAIR 14.0 FICHE

According to Annex IV of COMMISSION DELEGATED REGULATION (EU) NO 811/2013 of 18 February 2013 supplementing Directive 2010/30/EU of the European parliament and of the council with regard to the energy labelling of space heaters, combination heaters, packages of space heater, temperature control and solar devices and packages of combination heater, temperature control and solar device.

Outdoor Unit Reference: **ENVIROAIR 14.0**

In Average Climatic Conditions	Seasonal Energy Efficiency class ns	A+++	A++
	Normal Heating power (Kw)	14	12
	Seasonal Energy Efficiency ns (%)	175	133
	Annual energy consumption Qhe (kWh/year)	6313	7066

Manufacturer: Hitachi on behalf of **FIREBIRD PRODUCTS LTD**

Indoor Sound Power Level (dBa)

### Special Precautions to take during assembly, installation, maintenance

This appliance must be installed, maintained and dismantled by professionals. Do not vent contained refrigerant into the atmosphere since this fluid is a fluorinated greenhouse gas regulated under European Regulation (EU) No 517/2014

	35°C	55°C	35°C	55°C
Nominal Heating power (Kw)	13	12	14	12
Seasonal Energy Efficiency ns (%)	155	119	235	183
Annual energy consumption Qhe (kWh/year)	8201	9514	3145	3454

Outdoor Sound Power Level (dBa)

65

The sound power level is measured in heating mode, according to standard EN12102/2013. The nominal heating capacity is equal to Pdesign requirement at Tdesign, supplemented by Psup, if needed. Data is calculated according to EN14825 Standard & EN 14511 and the commission communication 2014/C207/02

## ENVIROAIR 16.0 FICHE

According to Annex IV of COMMISSION DELEGATED REGULATION (EU) NO 811/2013 of 18 February 2013 supplementing Directive 2010/30/EU of the European parliament and of the council with regard to the energy labelling of space heaters, combination heaters, packages of space heater, temperature control and solar devices and packages of combination heater, temperature control and solar device.

Outdoor Unit Reference: **ENVIROAIR 16.0**

In Average Climatic Conditions	Seasonal Energy Efficiency class ns	A++	A++
	Normal Heating power (Kw)	16	14
	Seasonal Energy Efficiency ns (%)	153	125
	Annual energy consumption Qhe (kWh/year)	8287	8780

Manufacturer: Hitachi on behalf of **FIREBIRD PRODUCTS LTD**

Indoor Sound Power Level (dBa)

### Special Precautions to take during assembly, installation, maintenance

This appliance must be installed, maintained and dismantled by professionals. Do not vent contained refrigerant into the atmosphere since this fluid is a fluorinated greenhouse gas regulated under European Regulation (EU) No 517/2014

	35°C	55°C	35°C	55°C
Nominal Heating power (Kw)	14	14	15	14
Seasonal Energy Efficiency ns (%)	152	112	230	177
Annual energy consumption Qhe (kWh/year)	8941	11620	3442	4148

Outdoor Sound Power Level (dBa)

67

The sound power level is measured in heating mode, according to standard EN12102/2013. The nominal heating capacity is equal to Pdesign requirement at Tdesign, supplemented by Psup, if needed. Data is calculated according to EN14825 Standard & EN 14511 and the commission communication 2014/C207/02